

D 40

ISO 22000 internal audit

Goal

1 Scope

2 Normative references

3 Definitions

4 Principles

- 4.1 Management principles
- 4.2 Audit principles
- 4.3 Performance of the FSMS

5 Audit program

- 5.1 General
- 5.2 Objectives
- 5.3 Risks
- 5.4 Establishing
- 5.5 Implementing
- 5.6 Monitoring
- 5.6 Reviewing and improving

6 Conducting an audit

- 6.1 General
- 6.2 Initiating
- 6.3 Preparing
- 6.4 Audit activities
- 6.5 Audit report
- 6.6 Completing audit
- 6.7 Audit follow-up

7 Competence and evaluation of auditors

- 7.1 General
- 7.2 Auditor competence
- 7.3 Evaluation criteria
- 7.4 Evaluation method
- 7.5 Auditor evaluation
- 7.6 Improving competence

Annexes

Goal of the module: To conduct an audit according to ISO 19011 in order to:

- identify improvement opportunities
- increase the satisfaction of interested parties
- evaluate the performance of the ISO 22000 food safety management system

1 Scope

The word audit comes from Latin "audire" = to listen.

Audit: *a systematic and independent survey to determine whether activities and results comply with pre-established measures and are capable of achieving the objectives*

Audits are mostly internal or external.

Internal audits, also called first party audits, are a requirement of the ISO 22000 standard (cf. sub-clause 9.2).

External, customer (or supplier) and certification audits, also called second and third party audits, are not within the scope of this module.

Internal audits are the most widespread tool for checking and evaluating the effectiveness of a food safety management system (FSMS). It is never intended to find the weak points in personnel. The internal audit has entered many company's daily lives as it has become inseparable from:

- any management system
- internal communication
- daily improvement
- corporate culture

It's only through other people's eyes that one can really see one's weakness. Chinese proverb

An internal audit is of (cf. figure 1-1):

- the food safety management system
- a process
- a product (service, project)




Figure 1-1. Internal audit types

Process: *activities that transform inputs into outputs*

The internal audit results are part of the inputs of the management review and allow the identification of fields in which to improve the food safety management system (FSMS) as

No system is perfect

As shown in figure 1-2, for the process “Conduct an audit”, top management (via the management review) is considered as an audit client with needs and expectations, which are themselves related to processes and various requirements.




Figure 1-2. Conduct an audit process

2 Normative references

The advice given by the ISO 19011 document can be summarized in the following fields:

- audit principles - clause 4
- audit program - clause 5
- audit activities - clause 6
- auditor competence - clause 7

A good knowledge of the ISO 22000 standard is required to understand and follow this module.

This module is based on the following generic and international standards:

- **ISO 19011 (2018): Guidelines for auditing management systems**
- **ISO 22000 (2018): Food safety management systems - Requirements for any organization in the food chain**
- **ISO 9001 (2015): Quality management systems - Requirements**

All these standards and many more can be ordered in electronic or paper format on the [ISO](#) site.

More than 28,000 standards (in English and other languages) are available on the [Public.Resource.Org](#) site.

3 Definitions

The beginning of wisdom is calling things by their proper names. Chinese proverb

Some terms and definitions currently used in management systems and audits:

Accident: *undesired event causing death or health and environmental damages*
Audit client: *everyone requesting an audit*
Audit conclusions: *outcome of an audit*
Audit criteria: *everything against which audit evidence is compared*
Audit findings: *every deviation from audit criteria*
Auditee: *everyone who is audited*
Auditor: *everyone who is trained to carry out audits*
Competence: *personal skills, knowledge and experiences*
Conformity: *fulfillment of a specified requirement*
Continual improvement: *permanent process allowing the improvement of the global performance of the organization*
Control: *ensure compliance with the specified criteria*
Customer: *anyone who receives a product*
Deviation: *failure to meet a given critical limit*
Document (documented information): *any support allowing the treatment of information*
End product: *any final result of a process or an activity*
Hazard: *situation that could lead to a potential incident*
Incident: *undesired event that could lead to health damages*
Interested party: *person, group or company affected by the impacts from an organization*
Nonconformity: *non-fulfillment of a specified requirement*
Organization: *a structure that satisfies a need*
Problem: *the distance that has to be overcome between real and desired situation*
Procedure: *set of actions to carry out a process*
Product (or service): *every result of a process or activity*
Quality: *aptitude to fulfill requirements*
Record: *document providing objective evidence of achieved results*
Requirement: *explicit or implicit need or expectation*
Review: *survey of a file, product, process so to verify whether pre-set objectives are achieved*
Risk: *likelihood of occurrence of a threat or an opportunity*
Stakeholder: *person, group or company that can affect or be affected by an organization*
Supplier: *an entity that provides a product*
Work environment: *set of human and physical factors in which work is carried out*

Examples of stakeholders: investors, customers, suppliers, employees and social, public or political organizations

Some terms and definitions specific to food safety:

Control measure: *activity to prevent, eliminate or reduce a hazard to the safety and suitability of the food or reduce it to an acceptable level*
Correction: *any action to eliminate or transform a potentially unsafe product*
Critical Control Point (CCP): *stage at which a control must be applied to prevent, eliminate or reduce a food safety hazard or to bring it back to an acceptable level*
Critical limit: *criterion for determining whether a CCP is under control*
Food: *every product intended for nourishment*
FS: *Food Safety*

Food: every product intended for nourishment

Food hazard: potential harmful effect of a biological, chemical or physical nature on people's health following the consumption of food

Food hygiene: means and conditions to control food hazards and to guarantee the food safety and suitability

Food safety: absence of harm to the consumer when food is prepared or consumed according to its intended use

Food suitability: ensuring that food when consumed as intended, is acceptable to the consumer

FSMS: Food Safety Management System

Good manufacturing practice: all the preventive activities that are necessary for food production under acceptable hygienic conditions

HACCP: Hazard Analysis Critical Control Point. System for the control of the hazards that threaten food safety

HACCP method: tool of reasoning that makes it possible to identify, evaluate and control the food safety hazards

Incident: undesired event that can lead to deterioration of health

Operational prerequisite program (oPRP): set of essential processes and conditions guaranteeing the control of the probability of the introduction, contamination or proliferation of food safety hazards

Prerequisite program (PRP): set of processes and conditions guaranteeing safe end products for the consumer

Recall: measure preventing the consumption of unsafe food after distribution or sale

Validation (food): establishment of the evidence to determine whether the FSMS is in conformity and effective

Verification (food): examination of evidence to determine whether the FSMS is in conformity and effective

Withdrawal: measure preventing the distribution or the sale of an unsafe food

In the terminology of food safety management systems, do not confuse the following:



- anomaly, defect, dysfunction, failure, nonconformity, reject and waste:
 - anomaly is a deviation from what is expected
 - defect is the non-fulfillment of a requirement related to an intended use
 - dysfunction is a degraded function which can lead to a failure
 - failure is when a function has become unfit
 - nonconformity is the non-fulfillment of a requirement in production
 - reject is a nonconforming product which will be destroyed
 - waste is when there are added costs but not value
- audit and inspect
 - to audit is to improve the FSMS
 - to inspect is to verify the conformity of a process or product
- audit, auditee and auditor
 - an audit is a process of evaluating and improving the FSMS
 - an auditee is the one who is audited
 - an auditor is the one who conducts the audit
- audit program and plan
 - an audit program is the annual planning of the audits
 - an audit plan is the description of the audit activities
- calibration and verification
 - the calibration is the confirmation of a value read in relation to a standard
 - verification is the positioning of landmarks
- communicate and inform

- to communicate is to pass on a message, listen to the reaction and discuss
 - to inform is to give someone meaningful data
- control and optimization
 - control is meeting the objectives
 - optimization is the search for the best possible results
- customer, supplier and subcontractor
 - a customer receives a product
 - a supplier provides a product
 - a subcontractor provides a service or a product on which a specific work is done
- effectiveness and efficiency
 - effectiveness is the level of achievement of planned results
 - efficiency is the ratio between results and resources
- follow-up and review
 - follow-up is the verification of the obtained results of an action
 - review is the analysis of the effectiveness in achieving objectives
- food hazard and risk
 - the hazard is a potential adverse effect coming from a food (contaminated food)
 - the risk is the level of appearance and the severity of the hazard to the consumer (food infection: vomiting, diarrhea)
- food safety and security
 - safety is what is acceptable to the consumer
 - security means no harm to the consumer
- gap and problem
 - the gap is the non-respect of a threshold
 - the problem is a gap that must be reduced (to obtain a result)
- hazard and risk analysis
 - hazard analysis is the responsibility of participants in the food chain
 - risk analysis is in the public health domain
- indicator and objective
 - an indicator is the information on the difference between the achieved result and the pre-set objective
 - an objective is a sought after commitment
- microorganism (microbe) and contaminant
 - micro-organism: living organism of microscopic size, dangerous or useful (bacterium, virus, yeast)
 - contaminant: substance accidentally or deliberately introduced into the food (cleaning agent residue, disinfectant, pesticide)
- organization and enterprise, society, company
 - organization is the term used in the standard ISO 9001 as the entity between the supplier and the customer
 - enterprise, society and company are examples of organizations
- organizational chart and process map
 - the organizational chart is the graphic display of departments and their links
 - the process map is the graphic display of processes and their interaction
- process, procedure, product, activity and task
 - a process is how we satisfy the customer using people to achieve the objectives
 - a procedure is the description of how we should conform to the rules
 - a product is the result of a process
 - an activity is a set of tasks
 - a task is a sequence of simple operations
- verify and validate

- to verify is a process to prove compliance
- to validate is to ensure that a process will be compliant and effective
- withdrawal and recall
 - a withdrawal is the measure to prevent the distribution
 - a recall is the measure to prevent post-distribution consumption

Remark 1: the use of ISO 22000 and ISO 9000 definitions is recommended. The most important thing is to determine a common and unequivocal vocabulary for everyone in the company.







Remark 2: the customer can also be the user, the beneficiary, the trigger, the ordering party or the consumer.




Remark 3: documented information is any information that we must maintain (procedure ) or retain (record ).

For other definitions, comments, explanations and interpretations that you don't find in this module and annex 06, you can consult:

- Hygiene of food products — French-English glossary (NF V 01-002, [AFNOR](#) 2008)
- Quality management system – Indicators and synoptical tables (FD X50 - 171, AFNOR 2000)
- Information technology -Vocabulary - Part 36: Learning, education and training ([ISO/IEC](#) 2382-36, May 2008)

Books for further reading on internal audits:

-  Denis Provonost, [Internal Quality Auditing](#), ASQ Quality Press, 2000
-  Food Drug and Cosmetic Division, [The Certified HACCP Auditor Handbook](#), ASQ Quality Press, 2001
-  David Hoyle, John Thompson, [ISO 9000 Auditor Questions](#), Transition Support, 2001
-  Spencer Pickett, [The Essential Handbook of Internal Audit](#), John Wiley & Sons, 2005
-  Karen Welch, [The Process Approach Audit Checklist for Manufacturing](#), ASQ Quality Press, 2005
-  Paul Palmes, [Process Driven Comprehensive Auditing](#), ASQ Quality Press, 2009

-  J. P. Russel, [The Process Auditing and Techniques Guide](#), ASQ Quality Press, 2010
-  Janet Smith, [Auditing Beyond Compliance](#), ASQ Quality Press, 2012
-  I. Irshad (Auteur), M. Khan [HACCP: A Guide to a Practical Development & Implementation](#), Independently published, 2017
-  Vindika Lokunaragodage, ISO 22000:2018 Generic Model: [ISO 22000:2018 Food Safety Management System](#), 35840, 2018
-  Gerardus Blokdyk, [ISO 22000 the Ultimate Step-By-Step Guide](#), 5starcooks, 2018
-  Carlos Hernández, [GMP Good Manufacturing Practices: Management Systems](#), Independently published, 2018

When I think of all the books still left for me to read, I am certain of further happiness. Jules Renard

4 Principles

4.1 Management principles

The seven quality management principles (cf. figure 4-1) will help us achieve sustained success (ISO 9001, sub-clause 0.2).




Figure 4-1. The 8 quality management principles

4.2 Audit principles

Certain principles must be followed for an audit to be a value added tool.

For the auditor, cf. ISO 19011:

- professional ethics, to guarantee:
 - mutual trust
 - compliance with legal requirements
- impartial presentation, to ensure:
 - honest and precise audit conclusions
 - detailed findings and audit reports
- professional integrity, to guarantee:
 - the importance of the task
 - the trust given
- confidentiality, to treat with care information which is:
 - sensitive
 - confidential

- independence, to:
 - conduct an impartial audit
 - write objective conclusions
- the evidence-based approach, to reach conclusions that are:
 - reliable, verifiable and
 - reproducible
- risk-based thinking, to achieve the objectives of the audit by:
 - identifying and decreasing threats
 - seizing opportunities

But also:

- common sense - always the best tool
- curiosity, to learn and succeed
- goodwill to help the auditee identify improvement opportunities
- understandable language
- positive attitude is gratifying for the auditee

For the audit:

- independence (the auditor and audited activity do not have conflicts of interest), to guarantee:
 - objective conclusions
 - findings based on objective evidence
- a factual approach, to ensure:
 - the audit evidence is verifiable
 - the audit conclusions are repeatable

For the auditee:

- remain available
- do not try to hide the truth
- do not be afraid of the answers
- objectively accept the nonconformities found
- be aware of participating in the improvement of the FSMS by being:
 - benevolent and
 - cooperative

An auditor cannot audit their own department as:

No-one should be a judge in his own case. Latin proverb



Minute of relaxation. Cf. joke "[The engineer and the shepherd](#)"

4.3 Performance of the FSMS

For a food safety management system what is of interest is the degree of achievement of objectives or, in other words, performance. The performance of a FSMS is measured by its effectiveness and, above all, by its efficiency (see figure 4-2).




Figure 4-2. Performance of a FSMS

Effectiveness: capacity to perform planned activities with minimum effort

Efficiency: financial relationship between achieved results and resources used



N.B. We can be effective because we achieved our objective, but are not efficient if we used too many resources or tolerated and produced too much waste!